GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – PR&RD Department – Sri Y.C. Subba Rayudu, former Deputy Executive Engineer, PR, Aluru, Kurnool district – Disciplinary proceedings initiated for violation of APCS (Conduct) Rules, 1964 - Appointment of the Superintending Engineer, PR, Kurnool as Enquiry Officer under Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 – Orders – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O.RT.No. 619 Dated:26-06-2015.

Read the following:-

1.From the DG, ACB, Lr.Rc.No.51/RCA-Kur/2006, Dt: 27.04.2007.
2.G.O.Rt.No.24, PR&RD (Vig.II) Dept., dated:13.01.2015.
3.From Sri Y.C. Subba Rayudu, Dy.EE, PR, representation dated: 20.04.2015.

***

ORDER:

In the G.O 2nd read above, disciplinary proceedings were initiated against Sri Y.C. Subba Rayudu, former Deputy Executive Engineer, Panchayat Raj, Aluru, Kurnool District, by framing charges under Rule-20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991, for not obtaining prior permission from the competent authority for acquiring / disposing of immovable properties in violation of Andhra Pradesh Civil Services (Conduct) Rules, 1964.

2. In response to the charges, Sri Y.C. Subba Rayudu, the then Deputy Executive Engineer, Panchayat Raj, Aluru, Kurnool District has submitted his written statement of defence in his representation 3rd read above. After examining the matter, Government have decided to conduct regular enquiry in to the charges framed against Sri Y.C. Subba Rayudu, the then Deputy Executive Engineer, Panchayat Raj, Aluru, Kurnool District, under Andhra Pradesh Civil Services (CC&A) Rules, 1991.

3. Accordingly, Government hereby appoint the Superintending Engineer, Panchayat Raj, Kurnool as Enquiry Officer under Rule 20(2) of Andhra Pradesh Civil Services (CC&A) Rules, 1991 to conduct enquiry against Sri Y.C. Subba Rayudu, the then Deputy Executive Engineer, Panchayat Raj, Aluru, Kurnool District.

4. The Enquiry Officer shall conduct enquiry strictly in terms of Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 and submit his report as required under sub-rule 18(ii) of the above said rule. Copies of the charge Memo issued to the Delinquent Officer and the Written Statements of Defence submitted by the Charged Officer are herewith furnished to the Enquiry Officer as required under Rule 20(7) of Andhra Pradesh Civil Services (CC&A) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR. K.S. JAWAHAR REDDY
SECRETARY TO GOVERNMENT (P.R.&R.W.S)

To
The Superintending Engineer, Panchayat Raj, Kurnool & Enquiry Officer (w.e.).
Sri Y.C. Subba Rayudu, the then Deputy Executive Engineer, PR, Aluru, Kurnool district through the Engineer-in-Chief, Panchayat Raj, Andhra Pradesh, Hyderabad.
The Engineer – in – Chief, Panchayat Raj, Andhra Pradesh, Hyderabad.
Copy to:
The Director General, Anti-Corruption Bureau, Andhra Pradesh, Hyderabad.
The Secretary to Vigilance Commissioner, Andhra Pradesh Vigilance Commission, Hyderabad.
S.f./S.c.

// FORWARDED :BY: ORDER //

SECTION OFFICER